

rinting	: 04/07/2024 Date of compilation: 26/06/2014 Revised: 16/02/2022 Version: 6 (Replaced 5)
SEC	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: T11 POLISHING COMPOUND
	Other means of identification:
	Not relevant
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Car repair; polishing paste
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu
1.4	Emergency telephone number: (8am-4pm)+48 094 35 123 94; 112
SECT	TION 2: HAZARDS IDENTIFICATION **
2.1	Classification of the substance or mixture:
	CLP Regulation (EC) No 1272/2008:
	The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.
2.2	Label elements:
	CLP Regulation (EC) No 1272/2008:
	Hazard statements:
	Not relevant
	Precautionary statements:
	P280: Wear protective gloves/eye protection. P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.
	Supplementary information:
	EUH066: Repeated exposure may cause skin dryness or cracking. EUH210: Safety data sheet available on request.
2.3	Other hazards:
	Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.
* Chan	nges with regards to the previous version
CEG	
SEC	TION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

**Chemical description:** Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:



	Identification		Chemical name/Classification		Concentratio
CAS:	64742-47-8	Distillates (petroleur	n), hydrotreated light <sup>(1)</sup>	ATP CLP00	
EC: Index: REACH	265-149-8 649-422-00-2 : 01-2119484819-18- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304 - Danger	\$	10 - <25 %
CAS: EC:	66455-14-9 500-165-3	Alcohols, C12-13, et	noxylated <sup>(1)</sup>	Self-classified	
Index:	Non-applicable : 01-2119488045-35- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 3: H412 - Warning		1 - <2,5 %

\*\* Changes with regards to the previous version

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

## By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

## By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

# 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

## SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media:

## Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

## Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

## 5.3 Advice for firefighters:



rinting	: 04/07/2024	Date of compilation: 26/06/2014	Revised: 16/02/2022	Version: 6 (Replaced 5)
SECT	TION 5: FIREFI	GHTING MEASURES (continued)		
		um emergency facilities and equipment s 9/654/EC.	, ,	thing and self-contained breathing apparatus ets, portable first aid kit,) in accordance
	emergencies. E		f fire, cool the storage contain	ers and tanks for products susceptible to
	aqueous mediu	plosion or BLEVE as a result of high temp m.	beratures. Avoid spillage of the	
SEC	aqueous mediu			
SEC <sup>-</sup>	aqueous mediu	m.		
	aqueous mediu TION 6: ACCID Personal prec	m. ENTAL RELEASE MEASURES		
	aqueous mediu TION 6: ACCID Personal prec For non-emer Isolate leaks pre	m. ENTAL RELEASE MEASURES autions, protective equipment and e gency personnel:	emergency procedures: the people performing this ta	isk. Personal protection equipment must be
	Aqueous mediu TION 6: ACCID Personal prece For non-emer Isolate leaks pre- used against po- protection.	m. ENTAL RELEASE MEASURES autions, protective equipment and e gency personnel: ovided that there is no additional risk for	emergency procedures: the people performing this ta	isk. Personal protection equipment must be

## 6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A Specific storage require	ements
Minimum Temp.:	0 °C
Maximum Temp.:	45 °C
Maximum time:	24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

## 7.3 Specific end use(s):

A.- General precautions for safe use



 Printing: 04/07/2024
 Date of compilation: 26/06/2014
 Revised: 16/02/2022
 Version: 6 (Replaced 5)

 SECTION 7: HANDLING AND STORAGE (continued)

 Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

#### **DNEL (Workers):**

Not relevant

## DNEL (General population):

Not relevant

PNEC:

#### Not relevant

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
	NON-disposable chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

# D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Not relevant

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	() () () ()	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D



Printing:	04/07/2024 Date of compilation	n: 26/06/2014 Revised: 16/0	02/2022 Version: 6 (Replaced 5)
SECT	TION 9: PHYSICAL AND CHEMICA	L PROPERTIES	
9.1	Information on basic physical and	I chemical properties:	
	For complete information see the proc	luct datasheet.	
	Appearance:		
	Physical state at 20 °C:	Liquid	
	Appearance:	Cream	
	Colour:	White	
	Odour:	Characteristic	
	Odour threshold:	Not relevant *	
	Volatility:		
	Boiling point at atmospheric pressure:	114 °C	
	Vapour pressure at 20 °C:	2285 Pa	
	Vapour pressure at 50 °C:	12036,79 Pa (12	2,04 kPa)
	Evaporation rate at 20 °C:	Not relevant *	
	Product description:		
	Density at 20 °C:	1,2 kg/m³	
	Relative density at 20 °C:	1,186	
	Dynamic viscosity at 20 °C:	~19000 cP	
	Kinematic viscosity at 20 °C:	Not relevant *	
	Kinematic viscosity at 40 °C:	>20,5 mm²/s	
	Concentration:	Not relevant *	
	pH:	9	
	Vapour density at 20 °C:	Not relevant *	
	Partition coefficient n-octanol/water 2	O °C: Not relevant *	
	Solubility in water at 20 °C:	Not relevant *	
	Solubility properties:	Not relevant *	
	Decomposition temperature:	Not relevant *	
	Melting point/freezing point:	Not relevant *	
	Flammability:		
	Flash Point:	Non Flammable (	>60 °C)
	Flammability (solid, gas):	Not relevant *	
	Autoignition temperature:	Not relevant *	
	Lower flammability limit:	Not relevant *	
	Upper flammability limit:	Not relevant *	
	Particle characteristics:		
	Median equivalent diameter:	Non-applicable	
9.2	Other information:		
	Information with regard to physic	al hazard classes:	
	Explosive properties:	Not relevant *	
	Oxidising properties:	Not relevant *	
	Corrosive to metals:	Not relevant *	
	Heat of combustion:	Not relevant *	
	Aerosols-total percentage (by mass) o components:	f flammable Not relevant *	
	Other safety characteristics: *Not relevant due to the nature of the produc		

- CONTINUED ON NEXT PAGE -



Printing: 04/07/2024	Date of compilation: 26/06/2014	Revised: 16/02/2022	Version: 6 (Replaced 5)
SECTION 9: PHYSIC	CAL AND CHEMICAL PROPERTIES	(continued)	
Surface tension	at 20 ºC:	Not relevant *	
Refraction index	:	Not relevant *	

\*Not relevant due to the nature of the product, not providing information property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

### **10.2** Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ( $CO_2$ ), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION \*\*

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- CONTINUED ON NEXT PAGE -



Printing:	04/07/2024	Date of compilation	on: 26/06/2014	Revised: 16/02	2/2022	Version: 6 (Replaced 5)	
SECT	ION 11: TOXICC	DLOGICAL INFOR	RMATION ** (cont	inued)			
SECT	<ul> <li>Carcinogeni as hazardous f</li> <li>Mutagenicit hazardous for</li> <li>Reproductiv classified as ha</li> <li>Sensitizing effe</li> <li>Respiratory: hazardous with</li> <li>Skin: Based hazardous for</li> <li>F- Specific target Based on avail this effect. For</li> <li>G- Specific target</li> <li>Specific target</li> </ul>	icity: Based on avai for the effects ment y: Based on availab this effect. For mor ye toxicity: Based on azardous for this effects : Based on available n sensitising effects I on available data, this effect. For mor organ toxicity (STC able data, the class more information s organ toxicity (STC get organ toxicity (STC get organ toxicity (STC get organ toxicity (STC atain substances cla ated exposure may ard:	lable data, the classific ioned. For more inform ole data, the classification e information see sect in available data, the classification fect. For more information the classification crites e information see sect OT) - single exposure: sification criteria are n see section 3. OT)-repeated exposure STOT)-repeated exposed sissified as hazardous for cause skin dryness or	cation criteria are mation see sectio tion criteria are r tion 3. lassification crite ation see section on criteria are no n see section 3. ria are not met, tion 3. ot met, as it doe e: sure: Based on a for this effect. Fo cracking	on 3. not met, as it ria are not m 3. ot met, as it d as it does no s not contain vailable data, r more inform	it does not contain substa does not contain substance et, as it does not contain s oes not contain substances t contain substances classif substances classified as ha the classification criteria a nation see section 3.	es classified as substances s classified as fied as azardous for re not met, as
	for this effect. Other information Not relevant	For more information			,		
		Identii	fication			Acute toxicity	Genus
						,	
	Distillates (petroleum)	), nyarotreated light			LD50 oral	>2000 mg/kg	
	Distillates (petroleum) CAS: 64742-47-8	), hydrotreated light			LD50 orai LD50 dermal	>2000 mg/kg	
		), nyarotreated light					
	CAS: 64742-47-8				LD50 dermal LC50 inhalation LD50 oral	>2000 mg/kg >20 mg/L >2000 mg/kg	
	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9				LD50 dermal LC50 inhalation LD50 oral LD50 dermal	>2000 mg/kg >20 mg/L	
	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3	oxylated			LD50 dermal LC50 inhalation LD50 oral	>2000 mg/kg >20 mg/L >2000 mg/kg	
	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3		x):		LD50 dermal LC50 inhalation LD50 oral LD50 dermal	>2000 mg/kg >20 mg/L >2000 mg/kg	
	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3	oxylated	<b>c):</b> ATE mix		LD50 dermal LC50 inhalation LD50 oral LD50 dermal	>2000 mg/kg >20 mg/L >2000 mg/kg	in toxicity
	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3 Acute Toxicity E Oral	oxylated	ATE mix >2000 mg/kg (Calculation	,	LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation	>2000 mg/kg >20 mg/L >2000 mg/kg >2000 mg/kg Ingredient(s) of unknow	In toxicity
	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3 Acute Toxicity E Oral Dermal	oxylated	ATE mix >2000 mg/kg (Calculation >2000 mg/kg (Calculation	method)	LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation I I I I I I I I I I I I I I I I I I I	>2000 mg/kg >20 mg/L >2000 mg/kg >2000 mg/kg >2000 mg/kg Ingredient(s) of unknow Ion-applicable Ion-applicable	n toxicity
11.2	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3 Acute Toxicity E Oral Dermal Inhalation	oxylated	ATE mix >2000 mg/kg (Calculation	method)	LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation I I I I I I I I I I I I I I I I I I I	>2000 mg/kg >20 mg/L >2000 mg/kg >2000 mg/kg Ingredient(s) of unknow	In toxicity
	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3 Acute Toxicity E Oral Dermal Inhalation Information on of Endocrine disrupti Other informatio Not relevant	oxylated stimate (ATE mix stimate (ATE mix other hazards: pting properties ng properties: The on	ATE mix >2000 mg/kg (Calculation >2000 mg/kg (Calculation >20 mg/L (4 h) (Calculation product does not meet	method) n method)	LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation I I I I I I I I I I I I I I I I I I I	>2000 mg/kg >20 mg/L >2000 mg/kg >2000 mg/kg >2000 mg/kg Ingredient(s) of unknow Ion-applicable Ion-applicable	n toxicity
	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3 Acute Toxicity E Oral Dermal Inhalation Information on of Endocrine disrupti Other informatio Not relevant	oxylated stimate (ATE mix i other hazards: pting properties: The	ATE mix >2000 mg/kg (Calculation >2000 mg/kg (Calculation >20 mg/L (4 h) (Calculation product does not meet	method) n method)	LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation I I I I I I I I I I I I I I I I I I I	>2000 mg/kg >20 mg/L >2000 mg/kg >2000 mg/kg >2000 mg/kg Ingredient(s) of unknow Ion-applicable Ion-applicable	n toxicity
** Chang	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3 Acute Toxicity E Oral Dermal Inhalation Information on of Endocrine disrupti Other informatio Not relevant	oxylated stimate (ATE mix stimate (ATE mix other hazards: pting properties ng properties: The on	ATE mix >2000 mg/kg (Calculation >2000 mg/kg (Calculation >20 mg/L (4 h) (Calculation product does not meet	method) n method)	LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation I I I I I I I I I I I I I I I I I I I	>2000 mg/kg >20 mg/L >2000 mg/kg >2000 mg/kg >2000 mg/kg Ingredient(s) of unknow Ion-applicable Ion-applicable	n toxicity
** Chang	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3 Acute Toxicity E Oral Dermal Inhalation Information on o Endocrine disrupti Other informatio Not relevant res with regards to the ION 12: ECOLOO	oxylated istimate (ATE mix istimate (ATE mix istimate (ATE mix istimate on istimate operations other hazards: pting properties: The on the previous version GICAL INFORMA	ATE mix >2000 mg/kg (Calculation >2000 mg/kg (Calculation >20 mg/L (4 h) (Calculation product does not meet TION **	method) n method) et the criteria.	LD50 dermal LC50 inhalation LD50 oral LD50 dermal LC50 inhalation r r r r	>2000 mg/kg >20 mg/L >2000 mg/kg >2000 mg/kg >2000 mg/kg Ingredient(s) of unknow Ion-applicable Ion-applicable Ion-applicable	n toxicity
** Chang SECT The ex Based	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3 Acute Toxicity E Oral Dermal Inhalation Information on of Endocrine disrupti Other informatio Not relevant Tess with regards to the ION 12: ECOLOO	oxylated istimate (ATE mix istimate (ATE mix ist	ATE mix >2000 mg/kg (Calculation >2000 mg/kg (Calculation >20 mg/L (4 h) (Calculation product does not meet TION ** eco-toxicological prop	method) n method) et the criteria.	LD50 dermal LC50 inhalation LD50 oral LC50 inhalation f f f f f f f f f f f f f	>2000 mg/kg >20 mg/L >2000 mg/kg >2000 mg/kg >2000 mg/kg Ingredient(s) of unknow Ion-applicable Ion-applicable Ion-applicable	
** Chang SECT The ex Based effect.	CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, eth CAS: 66455-14-9 EC: 500-165-3 Acute Toxicity E Oral Dermal Inhalation Information on of Endocrine disrupti Other informatio Not relevant Tess with regards to the ION 12: ECOLOO or available data, for a set of the	oxylated istimate (ATE mix istimate (ATE mix ist	ATE mix >2000 mg/kg (Calculation >2000 mg/kg (Calculation >20 mg/L (4 h) (Calculation product does not meet TION ** eco-toxicological prop	method) n method) et the criteria.	LD50 dermal LC50 inhalation LD50 oral LC50 inhalation f f f f f f f f f f f f f	>2000 mg/kg >20 mg/L >2000 mg/kg >2000 mg/kg >2000 mg/kg Ingredient(s) of unknow Ion-applicable Ion-applicable Ion-applicable Ion-applicable Ion-applicable	

\*\* Changes with regards to the previous version



nting:	04/07/2024	Date of compilation: 26/06/2014	R	evised: 16/02/2022	Version: 6	(Replaced 5)		
SECT	TON 12: ECOL	OGICAL INFORMATION ** (cont	inued)					
		Identification		Concentration	S	Species G		
	Alcohols, C12-13,	ethoxylated	LC50	Not relevant				
	CAS: 66455-14-9	9 EC50 Not relevant						
	EC: 500-165-3		EC50	0,282 mg/L (72 h)	Pseudokirchr	neriella subcapitata	Algae	
12.2	Persistence a	nd degradability:						
	Not available							
12.3	Bioaccumulat	ive potential:						
Substance-specific information:								
	Identification Distillates (petroleum), hydrotreated light CAS: 64742-47-8					Bioaccumulation potential		
					BCF	130		
					Pow Log	3.3		
	EC: 265-149-8	C: 265-149-8			Potential	High		
12.4 Mobility in soil:								
	Not available							
12.5	2.5 Results of PBT and vPvB assessment:							
	Product does no	ot meet PBT/vPvB criteria						
12.6	Endocrine dis	rupting properties:						
	Endocrine-disrupting properties: The product does not meet the criteria.							
12.7	Other adverse effects:							
	Not described							

\*\* Changes with regards to the previous version

## SECTION 13: DISPOSAL CONSIDERATIONS

#### **13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
	waste paint and varnish containing organic solvents or other hazardous substances packaging containing residues of or contaminated by hazardous substances	Non-hazardous	

#### Type of waste (Regulation (EU) No 1357/2014):

Not relevant

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:



-	04/07/2024	Date of compilation: 26/06/2014	Revised: 16/02/2022	Version: 6 (Replaced 5)			
SECT	TON 15: REGU	ILATORY INFORMATION (continue	ed)				
	<ul> <li>Article 95, REGULATION (EU) No 528/2012: Not relevant</li> <li>Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant</li> <li>Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant</li> <li>REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant</li> <li>Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant</li> </ul>						
	Not relevant						
	Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc): Not relevant						
	Specific provisions in terms of protecting people or the environment:						
		•					
l	-	uld be affected by sectorial legislation					
15.2		ety assessment:					
		s not carried out evaluation of chemical	safety.				
			,				
SECT		R INFORMATION					
JLCI							
	The SDS shall b has been desigr			blaced on the market. This safety data sheet ta sheets of Regulation (EC) No 1907/2006			
	Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:						
	COMPOSITION/ • New declare		TION 3, SECTION 11, SECTION	12):			
		C12-13, ethoxylated (66455-14-9) (EC) No 1272/2008 (SECTION 2, SECTION 2)	ON 16):				
		ry statements					
		egislative phrases mentioned in sec					
	The phrases ind individual comp	egislative phrases mentioned in sec licated do not refer to the product itself; onents which appear in section 3		formative purposes and refer to the			
	The phrases individual comp <b>CLP Regulatio</b> Aquatic Acute 1 Aquatic Chronic Asp. Tox. 1: H3	egislative phrases mentioned in sec licated do not refer to the product itself; onents which appear in section 3 on (EC) No 1272/2008: .: H400 - Very toxic to aquatic life. .: 3: H412 - Harmful to aquatic life with k 04 - May be fatal if swallowed and enter	they are present merely for in ong lasting effects.	formative purposes and refer to the			
	The phrases individual comp individual comp <b>CLP Regulatio</b> Aquatic Acute 1 Aquatic Chronic Asp. Tox. 1: H3 <b>Classification</b>	egislative phrases mentioned in sec licated do not refer to the product itself; onents which appear in section 3 on (EC) No 1272/2008: .: H400 - Very toxic to aquatic life. .: 3: H412 - Harmful to aquatic life with k 04 - May be fatal if swallowed and enter	they are present merely for in ong lasting effects.	formative purposes and refer to the			
	The phrases individual comp individual comp <b>CLP Regulatio</b> Aquatic Acute 1 Aquatic Chronic Asp. Tox. 1: H3 <b>Classification</b> Not relevant	egislative phrases mentioned in sec licated do not refer to the product itself; onents which appear in section 3 on (EC) No 1272/2008: : H400 - Very toxic to aquatic life. : H412 - Harmful to aquatic life with lo 04 - May be fatal if swallowed and enter procedure:	they are present merely for in ong lasting effects.	formative purposes and refer to the			
	The phrases individual comp <b>CLP Regulatio</b> Aquatic Acute 1 Aquatic Chronic Asp. Tox. 1: H3 <b>Classification</b> Not relevant <b>Advice related</b> Training is recor	egislative phrases mentioned in sec licated do not refer to the product itself; onents which appear in section 3 on (EC) No 1272/2008: :: H400 - Very toxic to aquatic life. : 3: H412 - Harmful to aquatic life with lo 04 - May be fatal if swallowed and enter procedure: d to training: mmended in order to prevent industrial r	they are present merely for in ong lasting effects. s airways. isks for staff using this product	formative purposes and refer to the t and to facilitate their comprehension and			
	The phrases individual comp <b>CLP Regulation</b> Aquatic Acute 1 Aquatic Chronic Asp. Tox. 1: H3 <b>Classification</b> Not relevant <b>Advice related</b> Training is reconsistered interpretation of	egislative phrases mentioned in sec licated do not refer to the product itself; onents which appear in section 3 on (EC) No 1272/2008: :: H400 - Very toxic to aquatic life. : 3: H412 - Harmful to aquatic life with lo 04 - May be fatal if swallowed and enter procedure: d to training:	they are present merely for in ong lasting effects. s airways. isks for staff using this product				
	The phrases individual comp <b>CLP Regulation</b> Aquatic Acute 1 Aquatic Chronic Asp. Tox. 1: H3 <b>Classification</b> Not relevant <b>Advice related</b> Training is reconsinterpretation on <b>Principal bibli</b> http://echa.euro	egislative phrases mentioned in sec         licated do not refer to the product itself;         onents which appear in section 3         on (EC) No 1272/2008:         :: H400 - Very toxic to aquatic life.         : 3: H412 - Harmful to aquatic life with lo         04 - May be fatal if swallowed and enter         procedure:         d to training:         mmended in order to prevent industrial r         f this safety data sheet, as well as the la         ographical sources:         opa.eu	they are present merely for in ong lasting effects. s airways. isks for staff using this product				
	The phrases individual comp <b>CLP Regulation</b> Aquatic Acute 1 Aquatic Chronic Asp. Tox. 1: H3 <b>Classification</b> Not relevant <b>Advice related</b> Training is reconsinterpretation on <b>Principal bibli</b> http://echa.euro http://eur-lex.euro	egislative phrases mentioned in sec         licated do not refer to the product itself;         onents which appear in section 3         on (EC) No 1272/2008:         :: H400 - Very toxic to aquatic life.         : 3: H412 - Harmful to aquatic life with lo         04 - May be fatal if swallowed and enter         procedure:         d to training:         mmended in order to prevent industrial r         f this safety data sheet, as well as the la         ographical sources:         opa.eu	they are present merely for in ong lasting effects. s airways. isks for staff using this product				



Printing: 04/07/2024	Date of compilation: 26/06/2014	Revised: 16/02/2022	Version: 6 (Replaced 5)		
SECTION 16: OTHE	ER INFORMATION (continued)				
ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer					

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.