

Printing:	20/09/2023 Date of compilation: 20/09/2023 Version: 1								
SECT	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING								
1.1	Product identifier: UNIVERSAL CLEANER								
1.1	Other means of identification:								
	Non-applicable								
1.2	Relevant identified uses of the substance or mixture and uses advised against:								
	Relevant uses: Car repair; polishing paste. For professional users only.								
	Uses advised against: All uses not specified in this section or in section 7.3								
1.3	Details of the supplier of the safety data sheet:								
	Troton Sp. z o.o.								
	Ząbrowo 14A 78. 120. Caścina – Zachadnianamarskia – Balaka								
	78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22								
	troton@troton.com.pl								
1.4	www.troton.pl / www.troton.eu Emergency telephone number: (8am-4pm)+48 094 35 123 94; 112								
	• • • • • • • • • • • • • • • • • • •								
SECT	TION 2: HAZARDS IDENTIFICATION								
2.1	Classification of the substance or mixture:								
	CLP Regulation (EC) No 1272/2008:								
	The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.								
2.2	Label elements:								
	CLP Regulation (EC) No 1272/2008:								
	Hazard statements: Non-applicable								
	Precautionary statements:								
	P280: Wear protective gloves/eye protection/face protection.								
	P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste								
	respectively. Supplementary information:								
	EUH066: Repeated exposure may cause skin dryness or cracking. EUH210: Safety data sheet available on request								
2.3	EUH210: Safety data sheet available on request.								
	EUH210: Safety data sheet available on request. Other hazards:								
	Other hazards: Product does not meet PBT/vPvB criteria								
	Other hazards:								
SECT	Other hazards: Product does not meet PBT/vPvB criteria								
	Other hazards: Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria. TION 3: COMPOSITION/INFORMATION ON INGREDIENTS								
SECT 3.1	Other hazards: Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria. TION 3: COMPOSITION/INFORMATION ON INGREDIENTS Substance:								
3.1	Other hazards: Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria. TION 3: COMPOSITION/INFORMATION ON INGREDIENTS Substance: Non-applicable								
	Other hazards: Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria. TION 3: COMPOSITION/INFORMATION ON INGREDIENTS Substance: Non-applicable Mixture:								
3.1	Other hazards: Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria. TION 3: COMPOSITION/INFORMATION ON INGREDIENTS Substance: Non-applicable Mixture: Chemical description: Mixture composed of chemical products								
3.1	Other hazards: Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria. TION 3: COMPOSITION/INFORMATION ON INGREDIENTS Substance: Non-applicable Mixture:								
3.1	Other hazards: Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria. TION 3: COMPOSITION/INFORMATION ON INGREDIENTS Substance: Non-applicable Mixture: Chemical description: Mixture composed of chemical products Components: In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:								
3.1	Other hazards: Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria. TION 3: COMPOSITION/INFORMATION ON INGREDIENTS Substance: Non-applicable Mixture: Chemical description: Mixture composed of chemical products Components: In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains: Identification Chemical name/Classification								
3.1	Other hazards: Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria. TION 3: COMPOSITION/INFORMATION ON INGREDIENTS Substance: Non-applicable Mixture: Chemical description: Mixture composed of chemical products Components: In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:								

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

- CONTINUED ON NEXT PAGE -



Printing: 20/09/2023 Date of compilation: 20/09/2023 Version: 1						
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)						
Identification		Chemical name/Classification		Concentration		
CAS: 67-63-0 EC: 200-661-7	propan-2-ol(1)		ATP CLP00			
Index: 603-117-00-0 REACH: 01-2119457558-25- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	(1) (1)	5 - <10 %		
⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878						
l o obtain more informat	tion on the hazards o	of the substances consult sections 11, 12 and 16.				

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:



-	20/09/2023 Date of compilation: 20/09/2023 Version: 1 TION 5: FIREFIGHTING MEASURES (continued)
	Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.
SECT	TION 6: ACCIDENTAL RELEASE MEASURES
6.1	Personal precautions, protective equipment and emergency procedures:
	For non-emergency personnel:
	Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground. For emergency responders:
6 2	Wear protective equipment. Keep unprotected persons away. See section 8.
6.2	Environmental precautions:
6 2	This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.
6.3	Methods and material for containment and cleaning up:
	It is recommended:
	Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.
6.4	Reference to other sections:
	See sections 8 and 13.
SECT	TION 7: HANDLING AND STORAGE
/.1	Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	0 °C
Maximum Temp.:	45 °C
Maximum time:	24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.



Printing: 20/09/2023	Date of compilation: 20/09/2023	Version: 1
SECTION 8: EXPOS	SURE CONTROLS/PERSONAL PROT	ECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Occupational exposure limits				
1-methoxy-2-propanol	1-methoxy-2-propanol				
CAS: 107-98-2 EC: 203-539-1	,				

DNEL (Workers):

	Short e	xposure	Long exposure		
Identification	Systemic	Local	Systemic	Local	
1-methoxy-2-propanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 107-98-2	Dermal	Non-applicable	Non-applicable	183 mg/kg	Non-applicable
EC: 203-539-1	Inhalation	553,5 mg/m ³	553,5 mg/m ³	369 mg/m ³	Non-applicable
propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m ³	Non-applicable

DNEL (General population):

	Short e	xposure	Long exposure		
Identification	Systemic	Local	Systemic	Local	
1-methoxy-2-propanol	Oral	Non-applicable	Non-applicable	33 mg/kg	Non-applicable
CAS: 107-98-2	Dermal	Non-applicable	Non-applicable	78 mg/kg	Non-applicable
EC: 203-539-1	Inhalation	Non-applicable	Non-applicable	43,9 mg/m ³	Non-applicable
propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m ³	Non-applicable

PNEC:

Identification						
1-methoxy-2-propanol	STP	100 mg/L	Fresh water	10 mg/L		
CAS: 107-98-2	Soil	4,59 mg/kg	Marine water	1 mg/L		
EC: 203-539-1	Intermittent	100 mg/L	Sediment (Fresh water)	52,3 mg/kg		
	Oral	Non-applicable	Sediment (Marine water)	5,2 mg/kg		
propan-2-ol	STP	2251 mg/L	Fresh water	140,9 mg/L		
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140,9 mg/L		
EC: 200-661-7	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg		
	Oral	0,16 g/kg	Sediment (Marine water)	552 mg/kg		

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

- CONTINUED ON NEXT PAGE -



	N 8: EXPOSURE		ROLS/PERSON	AL PROTECT	ION (co	ontinued)		
	As the product is	a mixtur	re of several subs	stances, the res	sistance	of the glove mate	rial car	not be calculated in advance with
_	total reliability an	nd has the	erefore to be che	ecked prior to the	he applic	ation.		
D.	- Eye and face pro	tection						
	Pictogram		PPE	Labelling	(CEN Standard		Remarks
	Mandatory face		Face shield	CAT II	l	EN 166:2002 EN 167:2002 EN 168:2002 ISO 4007:2018		daily and disinfect periodically according anufacturer's instructions. Use if there is risk of splashing.
E.	- Body protection							
	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory complete body protection		sable clothing for on against chemical risks	CAT III	EN 130 E 1: EN EN EN	034:2005+A1:2009 EN 168:2002 N ISO 13982- 2004/A1:2010 ISO 6529:2013 ISO 6530:2005 EN 464:1994		professional use only. Clean periodically rding to the manufacturer's instructions
	Mandatory foot protection	protectio	ety footwear for on against chemical risk	CAT III		ISO 20345:2011 13832-1:2019	Re	place boots at any sign of deterioration.
F.	- Additional emerg	ency me	asures					
	Emergency me	asure	St	andards		Emergency measu	ıre	Standards
	*			ANSI Z358-1 -1:2011, ISO 3864-4:2011		• +		DIN 12 899
	Emorgonov sh	owor		11, 150 5004 4.20)11	Evowach station	c	ISO 3864-1:2011, ISO 3864-4:2011
In		posure c he comm	controls: nunity legislation	for the protecti	ion of the		s recor	nmended to avoid environmental
In sp	nvironmental exp	posure c he comm product a	controls: nunity legislation and its container.	for the protecti For additional i	ion of the	e environment it i	s recor	
In sp CTIO	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL	he commoroduct a	controls: nunity legislation and its container.	for the protecti For additional i PERTIES	ion of the	e environment it i	s recor	
In sp CTIO Ir	nvironmental exp n accordance with the billage of both the p NN 9: PHYSICAL . nformation on ba	he commored commored commored common comm Common common comm	controls: nunity legislation and its container. IEMICAL PROF	for the protecti For additional i PERTIES	ion of the	e environment it i	s recor	
In sp CTIO Ir Fc	nvironmental exp n accordance with the pillage of both the p DN 9: PHYSICAL nformation on ba	he commored commored commored common comm Common common comm	controls: nunity legislation and its container. IEMICAL PROF	for the protecti For additional i PERTIES	ion of the	e environment it i	s recor	
In sp CTIO Ir Fc Al	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL A nformation on ba pr complete information ppearance:	AND CH asic physical	controls: nunity legislation and its container. IEMICAL PROF	for the protecti For additional i PERTIES ical properties asheet.	ion of th informati	e environment it i	s recor	
In sp CTIO Ir Fc Al Ph	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL nformation on ba or complete information ppearance: hysical state at 20 °	AND CH asic physical	controls: nunity legislation and its container. IEMICAL PROF	for the protecti For additional i PERTIES ical properties asheet. Liqu	ion of the informati s: id	e environment it i	s recor	
In sp CTIO Ir Fc Ap Pr Ap	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL . nformation on ba pr complete information ppearance: hysical state at 20 C ppearance:	AND CH asic physical	controls: nunity legislation and its container. IEMICAL PROF	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic	ion of th informati s: id	e environment it i	s recor	
In sp CTIO Ir Fc Al Pł At Cc	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL . nformation on ba or complete information ppearance: hysical state at 20 of ppearance: olour:	AND CH asic physical	controls: nunity legislation and its container. IEMICAL PROF	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo	ion of the informati s: id d	e environment it i	s recor	
In sp CTIO Ir Fc Ap Pr Ap Cc O	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL and promotion on bac promplete information ppearance: hysical state at 20 of ppearance: olour: dour:	AND CH asic physical	controls: nunity legislation and its container. IEMICAL PROF	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo Fruit	ion of the informati s: id d burless ty	e environment it i	s recor	
In sp TIO Ir Fc Ap Pr Ap Cc Oo	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL and for complete information on bac prearance: hysical state at 20 of ppearance: olour: dour: dour:	AND CH asic physical	controls: nunity legislation and its container. IEMICAL PROF	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo Fruit	ion of the informati s: id d	e environment it i	s recor	· · · · · · · · · · · · · · · · · · ·
In sp CTIO Ir Fc Ap PP Ap Cc Cc Ou Ou V	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL . nformation on ba or complete information ppearance: hysical state at 20 of ppearance: olour: dour: dour: dour threshold: olatility:	AND CH asic physication see	controls: nunity legislation and its container. HEMICAL PROF sical and chemi the product data	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo Fruit Non-	ion of the informati s: id d burless ty -applicat	e environment it i	s recor	
In sp Sp Sp Sp Sp Sp Sp Sp Sp Sp S	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL . nformation on ba or complete informator ppearance: hysical state at 20 G ppearance: olour: dour: dour: dour threshold: olatility: poiling point at atmo	AND CH asic physication see	controls: nunity legislation and its container. HEMICAL PROF sical and chemi the product data	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo Fruit Non 100	ion of th informati s: id d burless ty -applicat	e environment it i	s recor	
In sp CTIO Ir Fc Ap Pr Ap Cc Cc Ou Ou Ou Ou Da Va	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL . Information on bac or complete informat ppearance: hysical state at 20 of ppearance: olour: dour: dour threshold: olatility: pilling point at atmo apour pressure at 2	AND CH asic physical and a second sec	controls: nunity legislation and its container. HEMICAL PROF sical and chemi the product data	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo Fruit Non 100 238	ion of the informati s: id d burless ty -applicat °C 1 Pa	e environment it i ion see subsection	s recor	
In sp CTIO Ir FC Al Pr App CC Ou Ou Va Boo Va Va	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL . Information on bac or complete informat ppearance: hysical state at 20 G ppearance: olour: dour: dour threshold: olatility: oiling point at atmo apour pressure at 2 apour pressure at 5	AND CH sic physic ation see PC: spheric p 20 °C: 50 °C:	controls: nunity legislation and its container. HEMICAL PROF sical and chemi the product data	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo Fruit Non 100 238: 1252	ion of the informati s: id d burless ty -applicat °C 1 Pa 22,59 Pa	e environment it i ion see subsection ble * (12,52 kPa)	s recor	· · · · · · · · · · · · · · · · · · ·
In sp STIO Ir Fc Ap PP Ap Cc Ou Ou Ou Ou Ou Ou Ou Ou Ou Ou	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL and formation on bac or complete informator ppearance: hysical state at 20 of ppearance: olour: dour threshold: olatility: oiling point at atmo apour pressure at 2 apour pressure at 2 vaporation rate at 2	AND CH sic physe ation see PC: 20 °C: 50 °C: 20 °C:	controls: nunity legislation and its container. HEMICAL PROF sical and chemi the product data	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo Fruit Non 100 238: 1252	ion of the informati s: id d burless ty -applicat °C 1 Pa	e environment it i ion see subsection ble * (12,52 kPa)	s recor	· · · · · · · · · · · · · · · · · · ·
In sp CTIO Ir Fc Ap PP Ap Cc Cc Ou Ou Ou Ou Va Bc Va Ev Pr	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL . Information on bac or complete information or complete information or complete information opearance: hysical state at 20 of ppearance: olour: dour: dour: dour threshold: olatility: oiling point at atmo apour pressure at 2 apour pressure at 2 vaporation rate at 2 roduct descriptio	AND CH sic physe ation see PC: 20 °C: 50 °C: 20 °C:	controls: nunity legislation and its container. HEMICAL PROF sical and chemi the product data	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo Fruit Non 100 238: 1252 Non	ion of the informati s: id d purless ty -applicat °C 1 Pa 22,59 Pa -applicat	e environment it i ion see subsection ble * (12,52 kPa)	s recor	· · · · · · · · · · · · · · · · · · ·
In sp CTIO Ir FC Al Pt Af CC Ou Ou Ou Va BC Va EV Va EV Va EV Pr	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL nformation on ba or complete information or complete information ppearance: hysical state at 20 of ppearance: olour: dour threshold: olatility: oiling point at atmo apour pressure at 2 apour pressure at 2 vaporation rate at 2 roduct descriptio ensity at 20 °C:	AND CH sic physic ation see PC: spheric p 20 °C: 50 °C: 20 °C: on:	controls: nunity legislation and its container. HEMICAL PROF sical and chemi the product data	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo Fruit Non 100 238: 1252 Non 970	ion of th informati s: id d urless ty -applicat 22,59 Pa -applicat kg/m ³	e environment it i ion see subsection ble * (12,52 kPa)	s recor	
In sp STIO Ir Fc Ap Pr Ap Cc Ou Ou Ou Ou Ou Ou Ou Ou Ou Ou	nvironmental exp n accordance with the pillage of both the p N 9: PHYSICAL . Information on bac or complete information or complete information or complete information opearance: hysical state at 20 of ppearance: olour: dour: dour: dour threshold: olatility: oiling point at atmo apour pressure at 2 apour pressure at 2 vaporation rate at 2 roduct descriptio	AND CH asic physic ation see PC: aspheric physic pospheric physic ation see PC: aspheric physic ation see PC: aspheric physic ation see ation	controls: nunity legislation and its container. HEMICAL PROF sical and chemi the product data	for the protecti For additional i PERTIES ical properties asheet. Liqu Fluic Colo Fruit Non 100 238: 1252 Non	ion of the informati s: id d burless ty -applicat 22,59 Pa -applicat kg/m ³	e environment it i ion see subsection ble * (12,52 kPa)	s recor	



Printing:	20/09/2023	Date of compilation: 20/09/2023	Version: 1
SECT	TION 9: PHYSICA	AL AND CHEMICAL PROPERTIES	S (continued)
	Kinematic viscosit	y at 20 ºC:	1,04 mm²/s
	Kinematic viscosit	y at 40 °C:	Non-applicable *
	Concentration:		Non-applicable *
	pH:		7
	Vapour density at	20 °C:	Non-applicable *
	Partition coefficier	nt n-octanol/water 20 ºC:	Non-applicable *
	Solubility in water	at 20 °C:	Non-applicable *
	Solubility properti	es:	Non-applicable *
	Decomposition ter	mperature:	Non-applicable *
	Melting point/free	zing point:	Non-applicable *
	Flammability:		
	Flash Point:		47 °C (Does not maintain combustion)
	Flammability (soli	d, gas):	Non-applicable *
	Autoignition temp	erature:	287 °C
	Lower flammabilit	y limit:	Non-applicable *
	Upper flammabilit	y limit:	Non-applicable *
	Particle charact	eristics:	
	Median equivalent	t diameter:	Non-applicable
9.2	Other informati	on:	
	Information wit	th regard to physical hazard clas	ses:
	Explosive properti	es:	Non-applicable *
	Oxidising properti	es:	Non-applicable *
	Corrosive to meta	ls:	Non-applicable *
	Heat of combustic	on:	Non-applicable *
	components:	centage (by mass) of flammable	Non-applicable *
	Other safety cha		
	Surface tension at	t 20 ºC:	Non-applicable *
	Refraction index:		Non-applicable *
	*Not relevant due to t	the nature of the product, not providing infor	mation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases



SECT	ION 10: STABILITY AND REACTIVITY (continued)
10.6	Hazardous decomposition products:
	See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO ₂), carbon monoxide and other organic compounds.
SECT	ION 11: TOXICOLOGICAL INFORMATION
11.1	Information on hazard classes as defined in Regulation (EC) No 1272/2008:
	The experimental information related to the toxicological properties of the product itself is not available
	Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .
	Dangerous health implications:
	In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):
	 Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3 Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. B- Inhalation (acute effect):
	 Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3. Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Contact with the skin and the eyes (acute effect):
	 Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3. Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
	 Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: propan-2-ol (3) Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Sensitizing effects:
	 Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Specific target organ toxicity (STOT) - single exposure:
	Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.G- Specific target organ toxicity (STOT)-repeated exposure:
	 Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Repeated exposure may cause skin dryness or cracking H- Aspiration hazard:
	Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Other information:



Printing: 20/09/2023 Date of compilation: 20/09/2023 Version: 1
SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Non-applicable

Specific toxicology information on the substances:

Identification	Acut	te toxicity	Genus
1-methoxy-2-propanol	LD50 oral	>2000 mg/kg	
CAS: 107-98-2	LD50 dermal	>2000 mg/kg	
EC: 203-539-1	LC50 inhalation	>20 mg/L	
propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
EC: 200-661-7	LC50 inhalation	72,6 mg/L (4 h)	Rat

Acute Toxicity Estimate (ATE mix):

	ATE mix	Ingredient(s) of unknown toxicity
Oral	>2000 mg/kg (Calculation method)	Non-applicable
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
1-methoxy-2-propanol	LC50	20800 mg/L (96 h)	Pimephales promelas	Fish
CAS: 107-98-2	EC50	23300 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-539-1	EC50	1000 mg/L (168 h)	Selenastrum capricornutum	Algae
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degr	adability	Biodegradability	
1-methoxy-2-propanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 107-98-2	COD	Non-applicable	Period	28 days
EC: 203-539-1	BOD5/COD	Non-applicable	% Biodegradable	90 %
propan-2-ol	BOD5	1,19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2,23 g O2/g	Period	14 days
EC: 200-661-7	BOD5/COD	0,53	% Biodegradable	86 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
1-methoxy-2-propanol	BCF	3
CAS: 107-98-2	Pow Log	-0.44
EC: 203-539-1	Potential	Low



Printing: 20/09/2023 Date of compilation: 20/09/2023 Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification Bioaccumulation potential		nulation potential
propan-2-ol	BCF	3
CAS: 67-63-0	Pow Log	0.05
EC: 200-661-7	Potential	Low

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
propan-2-ol	Кос	1.5	Henry	8,207E-1 Pa·m ³ /mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
EC: 200-661-7	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 99	wastes not otherwise specified	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: propan-2-ol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable



SECT	TON 15: REGULATORY INFORMATION (continued)
	Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):
	Non-applicable
	Specific provisions in terms of protecting people or the environment:
	It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.
	Other legislation:
	The product could be affected by sectorial legislation
L5.2	Chemical safety assessment:
	The supplier has not carried out evaluation of chemical safety.
SECT	TON 16: OTHER INFORMATION
	Legislation related to safety data sheets:
	The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data shee has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).
	Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable
	Texts of the legislative phrases mentioned in section 3:
	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the
	individual components which appear in section 3
	CLP Regulation (EC) No 1272/2008:
	Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Flam. Liq. 3: H226 - Flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness.
	Classification procedure:
	Non-applicable
	Advice related to training:
	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.
	Principal bibliographical sources: http://echa.europa.eu
	http://eur-lex.europa.eu
	Abbreviations and acronyms:
	ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation
	COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand
	BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50
	EC50: Effective concentration 50
	LogPOW: Octanolwater partition coefficient
	Koc: Partition coefficient of organic carbon UFI: unique formula identifier
	IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.