







# **POLISHING COMPOUNDS**

cut level



#### **BRAYT Z1 PREMIUM POLISHING COMPOUND**

Very effective and efficient compound for various surfaces in industry as well as wood paints and varnishes. Doesn't contain silicones. Thanks to its high-quality polishing minerals, provides a very good "cut / shine" effect in a one-step polishing process. In a short time, eliminates defects and other operational damages leaving an ideal surface. Optimized bonding does not excessively heat up the surface. Once the polishing is done any compound residues can be easily removed.

capacity	article no.	
1 KG	12636	
4,5 KG	12637	

gloss level



#### **BRAYT 101 HIGH GLOSS POLISHING COMPOUND**

BRAYT i01 HIGH GLOSS is a polishing compound recommended for use on all types of clear coats, including hard and scratch resistant lacquers as well as ceramic. Suitable for application on fresh (polymerized) and old coatings. Works perfectly with most commercial polishing pads available (foam, wool, microfiber). Doesn't contain fillers and silicone.

' '		
1 KG	11564	
cut level	gloss lev	el

article no.



#### **BRAYT IT STRONG POLISHING COMPOUND**

BRAYT i1 STRONG is a polishing compound suitable for use on every kind of industrial clear coat, including hard scratch resistant varnishes (also ceramic). Product recommended for both fresh and old paint coatings.

Easily removes scratches and traces after P1500 sanding paper. Doesn't contain fillers and silicone.

capacity	article no.
1 KG	11216
4,6 KG	11818

cut lev	rel					glos	s leve	el				



#### **BRAYT 11 LIQUID POLISHING COMPOUND**

Universal polishing compound suitable for all types of surfaces. Quickly eliminates sanding traces and operational damages, guaranteeing an ideal surface. Contains high quality polishing minerals allowing the achievement of great results in a one-step polishing process. Optimized bonding prevents surface overheating and is easy to clean after using.

capacity	article no.	
500 g	11212	
1 KG	11211	
4,6 KG	11213	
cut level	gloss leve	



#### BRAYT i3 CLEAN & PROTECT LIQUID

Product designed for all types of paints and clear coats. Guarantees perfect finish and creates a protective layer even on difficult surfaces. Perfectly removes all signs of abrasive substances and cloudy hazes. Works antistaticly creating additional protection against UV rays. Can be applied manually or mechanically using a soft sponge pad. Doesn't contain silicone nor silica.

capacity	article no.
500 ml	13458



#### **BRAYT 111 POLISHING COMPOUND**

BRAYT i11 is a polishing compound dedicated to PE and PU clear coats as well as waterborne clears intended to be used in the furniture industry. Easy to use, ensures perfect finish without hidden defects and false shine. Allows the quick removal of sanding traces. Contains high quality polishing minerals achieving high gloss in a short time without excessive heating of the surface. Does not contain silicone and wax fillers.

capacity	article no.
1 KG	11217
1 KG (butelka)	11753
4,5 KG	11541

cut le	evel					gloss	s leve	el				



#### **BRAYT i11 CUT POLISHING COMPOUND**

Product recommended for use on hard top coats and gelcoats (tool and industrial). In a one-step process allows the elimination of defects and P1200 sanding marks. Offers high cutting power and appropriate gloss. Can be used manually and mechanically.

capacity	article no.	
1 KG	11218	
cut level	gloss lev	el

# BRAYT Z-A POLISHING COMPOUND for automatic polishing machines




# BRAYT Z-A POLISHING COMPOUND for automatic polishing machines

BRAYT Z-A polishing compound is dedicated for automatic polishing and sanding machines for funiture fronts. Z-A features creamy consistency, high efficiency and hard grains with increased cut level. Modern formulation offers high gloss and ensures good heat dispersion during polishing.

capacity	article no.
20 KG	13290
4,5 KG	13583
1 KG	13582







### **POLISHING FOAMS**



#### POLISHING FOAM WHITE "PROFI"

Hard polishing pad with Velcro made of polyurethane innovative foam which decreases overheating effect. Perfectly works with polishing cutting compounds and finishing compounds.

size	article no.
ø 80 x 30 mm	300007281
ø 150 x30 mm	300005933
ø 180 x 30mm	300007260



#### POLISHING FOAM RED "FINISH"

Soft polishing foam designed to be used with new generation polishing compounds and protective coatings. Perfectly works with emulsions, lotions and waxes giving an excellent surface quality.


size	article no.
ø 80 x 30 mm	300007282
ø 150 x 30 mm	300005934



#### **POLISHING FOAM WITH CUT - WHITE**

Hard polishing foam with square shaped cuts, designed to efficiently polish varnished surfaces. The aggressiveness of the polyure-thane foam and specially designed incisions significantly reduce the working time for compounds with variable cutting grain structures and enable the achievement of a perfect finish. Hard stabilizing workholder and strong velcro provide durable and stable fastening. Dedicated for use on fresh and hard varnishes.


size	article no.
ø 135 x 25 mm	300007992
ø 180 x 25 mm	300007990



#### **POLISHING FOAM WITH CUT - YELLOW strong**

Polishing foam distinguished by greater aggressiveness and durability with square shaped cuts, designed for effective polishing of varnished surfaces after matting with abrasive paper P1200 -P1500. Polyurethane foam and specially designed cuts significantly reduce the working time for compounds with variable cutting grain structures and enable the achievement of a perfect finish. Hard stabilizing workholder and strong velcro provide durable and stable fastening. Dedicated for use with hard varnishes and automatic polishing machines.

size	article no.
ø 135 x 25 mm	300008633
ø 180 x 25 mm	300008632



#### **POLISHING & FINISHING FOAM**

Open cell polishing foam dedicated for finishing and final polishing. Ideal for the removal of holograms and minor surface defects.

size	article no.
ø 230 mm	300007873

# POLISHING FOAM GREEN "DIAMOND"



#### **POLISHING FOAM GREEN "DIAMOND"**

Polishing foam made of new technology open-cell foam that enhances the cutting power. The durable structure and construction of the foam allow for good temperature dissipation during the polishing process. Intended for use in the first polishing step.

size	article no.
ø 155 - 170 mm x 25 mm	300008987



#### POLISHING FOAM BURGUND "DIAMOND"

Polishing foam made of new technology open-cell foam that enhances the cutting power. The durable structure and construction of the foam allow for good temperature dissipation during the polishing process. Intended for use in the second polishing step.

size	article no.
ø 155 - 170 mm x 25 mm	300008988



#### POLISHING FOAM WHITE "PERFECT FINISH"

Open-cell structured polishing foam for a perfect finish of the polished surface.

size	article no.
ø 155 - 170 mm x 25 mm	300008989



# **POLISHING WOOLS**



#### LAMBSWOOL TYPE 'D' YELLOW

Professional polishing pad recommended for the removal of defects and to refresh different types of hard coatings, such as ceramic clear coats, technic gelcoats and UV-curable industrial clear coats. Made from 100% natural lambswool. Product is suitable for use in the furniture industry and for composite products.

size	article no.
ø 130 mm	300006472
ø 150 mm	300005556
ø 180 mm	300005555



#### LAMBSWOOL TYPE 'MM' WHITE

Professional polishing head made of 100% natural lambswool. Especially designed to remove defects after abrasive paper, operational matting, etc. Offers best finishing results after P1200 – P1500 abrasives. High performance, elasticity, very stable working temperature. Product can be used in automotive, furniture and composites industry.

article no.
300006473
300005558
300005557



#### **ONE SIDED WOOL POLISHING PAD**

Polishing pad made of 100% natural wool. Perfect to remove fogging and scratches on large surfaces. Ideal for polishing poliure-thane (PU) clear coats, gelcoats and tool gelcoats.

size	article no.
ø 200 mm	300006613



#### **DOUBLE SIDED WOOL POLISHING PAD**

Made from 100% natural lambswool, double sided polishing pad recommended to work with gelcoats and poliurethane (PU) clear coats. Supplied with M14 screw holder.

size	article no.
ø 220 mm	300006614



#### **WOOL POLISHING BALL**

Polishing ball made 100% from natural wool. Suitable for polishing hard to reach places, corners, edges. Perfectly removes fogging and scratching on gelcoats and poliurethane (PU) clear coats.

size	article no.
ø 80 mm	300006619



# **BACKING PLATES**



#### YELLOW-BLACK UNIVERSAL BACKING PLATE

Standard backing plate with flexible edges.

size	article no.
Ø 150 mm	300005880
Ø 120 mm	300005879



#### **RED SOFT BACKING PLATE**

Universal backing plate with elastic and soft divider.

Designed for the polishing of surfaces with lots of overpress.

size	article no.
Ø 120 mm	300005881



# BACKING PLATE FOR DRILL BACKING PLATE FOR POLISHER

size	article no.
Ø 50 mm	300006615
Ø 50 mm	300006616



#### BACKING PLATE RED

Backing plate for polishing applicator equipped with amortizing layer which allows for easy polishing and access to difficult places. Dedicated to Brayt foam and wool pads with diameters of 80 mm and Ø 75mm.

sıze	article no.
Ø 80 mm	300007933



#### **BAKING PLATE RED THIN**

Thin amortizing layer ensures stable work on large surfaces. Product is dedicated to all applicators with a diameter of 150 mm.

size	article no.
Ø 150 mm	300007932



#### **BAKING PLATE YELLOW FLEXI**

Ideal for use with Brayt finishing foam with a diameter of 230 mm and with other applicators with diameter from 180 mm. Thanks to its flexible structure allows for easy work and access to difficult places during polishing.

size	article no.
Ø 180 mm	300006474



#### M14 ADAPTER

Ideal for use with Brayt finishing foam with a diameter of 230 mm and with other applicators with diameter from 180 mm. Thanks to its flexible structure allows for easy work and access to difficult places during polishing.

article no. 300007934

# **SPECIAL APPLICATORS**



#### **MICROFIBRE CUTTING PAD**

size article no.

Ø 130 mm 300006609

Dysk wykonany z mikrofibry umieszczonej na gąbce z rzepem. Przeznaczony do polerowania za pomocą polerki rotacyjnej oraz orbitalnej. Pomaga skorygować mikrodefekty na powierzchni lakieru.



#### MICROFIBRE FINISHING PAD

size article no.
Ø 130 mm 300006610

Microfiber pad placed on soft foam with velcro. Recommended for finishing using rotary polisher and orbital. Allows for perfect shine.



size article no.
Ø 135 mm 300006611

Product designed to eliminate or reduce orange peel effect on surfaces without sanding (comparable to P3000 abrasive paper). To be used with polishing compound. Might require finishing and final polishing. For professional use only with an orbital or rotary polisher.



#### **ORANGE PEEL REMOVAL PAD 'JEANS'**

size article no.
Ø 135 mm 300006612

Product designed to eliminate or reduce orange peel effect on surfaces without sanding (comparable to P2000 abrasive paper). To be used with polishing compound. For professional use only with an orbital or rotary polisher.



#### **PAINT AND GLASS CLEANING PAD**

size article no.

Ø 150 mm 300006618

Cleaning pad designed for cleaning painted coatings and glass manually or mechanically. Successfully removes stubborn impurities such as resin, traces of insects e.t.c. Safe for all types of automotive and industrial coatings.

# **MICROFIBRE CLOTHS**



**RED** (universal) – recommended for hand polishing and finishing.

size	article no.
40 x 40 cm	300005575



**GREY** (finishing) – for repolishing and finishing.

size	article no.
40 x 40 cm	300005573



**DARK GREY** (yellow hem) – recommended for glass.

size	article no.
40 x 40 cm	300007651



**DARK GREY** (red hem) – for general use, suitable for polishing and removing residues of polishing paste.

size	article no.
40 x 60 cm	300007649



**YELLOW** (600 g) – perfect for waxes.

size	article no.
40 x 40 cm	300007650



 $\label{eq:white} \textbf{WHITE} \ (\text{for cleaning, 500 g}) - \text{perfect for drying and cleaning all types of surfaces.}$ 

size	article no.
40 x 60 cm	300007648

# **MICROFIBRE APRON**



size	article no.
article no.	300005564

# **BATTERY INSECTION LAMP**



article no. 300008049

Portable lamp that perfectly reproduces natural light conditions. A modern source LED COB with very high color rendering index RA> 95, as close as possible to daylight, allows to perfectly choose the right color and shade of automotive paint. Makes easy to check the color against the template and check coverage. In the light of the inspection lamp, it is easy to spot even the smallest defects, such as stains, holograms or surface overheating.

Color check with stencil – remove the lens (diffused light). Surface checking – with lens attached.

# **SANDING BLOCK WITH VELCRO 'SEMI-MOON'**



soft 150 mm	300007502
hard 150 mm	300007503

Moon block shape allows the polishing of hard-to-reach and narrow places on straight and curved surfaces. Product enables high polishing accuracy and obtaining the original effect. It is widely used in automotive, painting and construction industries as well as in carpentry.

# **NOTES**

